



THE ESSENTIALS 2024
SOLUTIONS SPECIALISTS
FOR SMART BUILDINGS





GIGAMEDIA is a French brand created in 1996 that has established itself as the **leading distributor of cabling systems** in France, and has expanded rapidly across Europe and now Canada.

GIGAMEDIA provides **a full range of innovative solutions for small and medium contractors**, dedicated to the distribution of cabling systems, IT and telecommunications networks.

The solutions offered by GIGAMEDIA are key elements of smart building infrastructures with the following ranges: video surveillance kits, cameras, switches and copper cabling solutions that offer a full **GIGAMEDIA solution for your security and datacom projects**.

SEEKING SECURITY SOLUTIONS?

GET INSPIRED AND SEE
WHAT WE HAVE ON OFFER RIGHT NOW!



Visit us on:
nedco.ca



SCAN THIS
QR CODE

Watch over your success
our security solutions await!





Fuel your security



Small office



Eyes on
EVERY
detail

Retail shop



School

In ALL
your
projects



Coffee shop

Restaurant



NEED HELP?

OUR EXPERTS
HAVE YOU COVERED!

- ▶ Through your local NEDCO branch
- ▶ Via our dedicated online portal featuring FAQ, tutorials, how-to videos and a knowledge database



VIDEOSURVEILLANCE SOLUTION 5 MP KIT (WITH BULLET CAMERA)



4 (or 8) bullet camera

+ 1 PoE NVR 8 (or 16) channel

+ 2 (or 4) TB HDD

CAMERA FEATURES

- ▶ Video compression: H265 / H264 real time
- ▶ Type of sensor: 1/2.7" SC500AI progressive CMOS
- ▶ Resolution: 5 MP (2880 x 1620 px)
- ▶ Sensitivity: 0.004 lx
- ▶ Focal lens: fixed lens, 2.8 mm
- ▶ Angle of view: 110°
- ▶ IR 30 m
- ▶ Installation environment: indoor/outdoor
- ▶ Power supply: PoE (802.3af) or 12 VDC
- ▶ IP67
- ▶ Built-in microphone



NVR FEATURES

- ▶ Video compression: H265 / H264
- ▶ Video input: 8 or 16 CH 5 MP PoE powered
- ▶ Audio output: 1 CH RCA connector
- ▶ HDMI output: up to 4K
- ▶ VGA output: up to 1080p
- ▶ Alarm I/O: 8/1 or 16/1
- ▶ HDD capacity: 2 TB or 4 TB included (up to 10 TB)
- ▶ Mobile app: GGM VIEW
- ▶ AI function: supported



P/N	DESCRIPTION
GGM KITIP48C5MP	5 MP videosurveillance kit 4 bullet camera + 1 PoE NVR 8 channel + 2 TB HDD
GGM KITIP816C5MP	5 MP videosurveillance kit 8 bullet camera + 1 PoE NVR 16 channel + 4 TB HDD
GGM IPCLB5F28	IP mini bullet 5MP IR 20 m fixed lens 2.8 mm
GGM IPCBJ011	Junction box for GGM IPCLB5F28



4 (or 8) dome camera

+ 1 PoE NVR 8 (or 16) channel

+ 2 (or 4) TB HDD



SCHOOL



COFFEE SHOP



SMALL OFFICE



RETAIL



RESTAURANT

CAMERA FEATURES

- ▶ Video compression: H265 / H264 real time
- ▶ Type of sensor: 1/2.7" SC500AI progressive CMOS
- ▶ Resolution: 5 MP (2880 x 1620 px)
- ▶ Sensitivity: 0.004 lx
- ▶ Focal lens: fixed lens, 2.8 mm
- ▶ Angle of view: 110°
- ▶ IR 20 m
- ▶ Installation environment: indoor/outdoor
- ▶ Power supply: PoE (802.3af) or 12 VDC
- ▶ IK10
- ▶ Built-in microphone



NVR FEATURES

- ▶ Video compression: H265 / H264
- ▶ Video input: 8 or 16 CH 5 MP PoE powered
- ▶ Audio output: 1 CH RCA connector
- ▶ HDMI output: up to 4K
- ▶ VGA output: up to 1080p
- ▶ Alarm I/O: 8/1 or 16/1
- ▶ HDD capacity: 2 TB or 4 TB included (up to 10 TB)
- ▶ Mobile app: GGM VIEW
- ▶ AI function: supported



P/N	DESCRIPTION
GGM KITIP48CDM5MP	5 MP videosurveillance kit 4 vandalproof dome + 1 PoE NVR 8 channel + 2 TB HDD
GGM KITIP816CDM5MP	5 MP videosurveillance kit 8 vandalproof dome + 1 PoE NVR 16 channel + 4 TB HDD
GGM IPCDM5F28	IP dome camera 5MP IR 20 m focal lens 2.8 mm IK10
GGM IPCBJ015	Junction box for GGM IPCDM5F28
GGM IPCBJ016	Pendant cap for GGM IPCDM5F28
GGM IPCBJ007	Ceiling pendant mount
GGM IPCBJ008	Wall mount bracket



VIDEOSURVEILLANCE SOLUTION BULLET CAMERA

**5MP****IP67**

Bullet cameras for retails and commercial buildings. All the range support PoE technology. High quality sensor will provide a clear picture even in low light condition. Every camera includes analytic functions to anticipate threats and get the most out of your solutions.

**GGM IPCB5MV12E**

- 5 MP
- Motorized
- IR 40 m
- IP67
- AI

**GGM IPCB5VFM550VE**

- 5 MP
- Motorized
- IR 80 m
- IP67
- AI

**GGM IPCLB5F28**

- 5 MP
- Fixed
- IR 30 m
- IP67
- AI

Resolution @ fps	2592 x 1944 @ 30 fps	2592 x 1944 @ 30 fps	2880 x 1620 @ 30 fps
Sensor	OS05A20 CMOS STARVIS 1/2.7" progressive	OS05A20 CMOS STARVIS 1/2.7" progressive	SC500AI CMOS 1/2.7" progressive
Resolution (max.)	2592 x 1944	2592 x 1944	2880 x 1620
Focal length	2.7 ~ 13.5 mm	5 ~ 50 mm	2.8 mm
Focal lens	Motorized lens	Motorized lens	Fixed lens
Sensitivity	0.003 lx	0.003 lx	0.004 lx
Angle of view	Horizontal: 102° ~ 31°	Horizontal: 45° ~ 7°	Horizontal: 110°
Shutter speed	1/5 ~ 1/20000 s	1/5 ~ 1/20000 s	1/5 ~ 1/20000 s
WDR	120 dB	120 dB	120 dB
IR rated	40 m	80 m	30 m
Day / Night	✓	✓	✓
Dimension	83.8 x 242 x 87.4 mm	89.5 x 301 x 108 mm	71 x 150 x 71 mm
ONVIF	Profile S/G/T	Profile S/G/T	Profile S/G/T
Power consumption	< 9 W	10 W	< 6 W
Power supply	12 V DC / PoE	12 V DC / PoE	12 V DC / PoE
Accessories	GGM IPCBJ002	GGM IPCBJ002	GGM IPCBJ011



5MP

IP67

Dome cameras are very popular for retail applications and fit with many indoor and outdoor situations.

All models support PoE technology.

They include analytic functions to anticipate threats and get the most of your solutions.

Furthermore, the GGM IPCD5MV12VE model is vandalproof and can be installed in harsh environments.



GGM IPCDM5F28

- 5 MP
- Fixed
- IR 20 m
- IP67
- AI



GGM IPCD5MV12VE

- 5 MP
- Motorized
- IR 30 m
- IP67
- Vandalproof IK10
- AI

Resolution @ fps	2880 x 1620 @ 30 fps	2592 x 1944 @ 30 fps
Sensor	SC500AI CMOS 1/2.7" progressive	OS05A20 CMOS STARVIS 1/2.8" progressive
Resolution (max.)	2880 x 1620	2592 x 1944
Focal length	2.8 mm	2.7 ~ 13.5 mm
Focal lens	Fixed lens	Motorized lens
Sensitivity	0.004 lx	0.003 lx
Angle of view	Horizontal: 110°	Horizontal: 102° ~ 31°
Shutter speed	1/5 ~ 1/20000 s	1/5 ~ 1/20000 s
WDR	120 dB	120 dB
IR rated	20 m	30 m
Day / Night		
Dimension	Ø 155 x 91.6 mm	Ø 150 x 109 mm
ONVIF	Profile S/G/T	Profile S/G/T
Power consumption	5.1 W	7.5 W
Power supply	12 V DC / PoE	12 V DC / PoE
Accessories	GGM IPCBJ007 GGM IPCBJ008 GGM IPCBJ015 GGM IPCBJ016	GGM IPCBJ003 GGM IPCBJ009




VIDEOSURVEILLANCE SOLUTION DOME EYEBALL CAMERA



GGM IPCD5MV12E

- 5 MP
- Motorized
- IR 45 m
- IP67
- AI

Resolution @ fps	2592 x 1944 @ 30 fps
Sensor	OS05A20 CMOS 1/2.7" progressive
Resolution (max.)	2592 x 1944
Focal length	2.7 ~ 13.5 mm
Focal lens	Motorized lens
Sensitivity	0.003 lx
Angle of view	Horizontal: 102° ~ 31°
Shutter speed	1/5 ~ 1/20000 s
WDR	120 dB
IR rated	45 m
Day / Night	✓
Dimension	Ø 135.56 x 127 mm
ONVIF	Profile S/G/T
Power consumption	9.5 W
Power supply	12 V DC / PoE
Accessories	GGM IPCBJ002



Get remote access to
your cameras through
your mobile or
tablet thanks to the
GGM VIEW free app



GGM IPCD5F28

- 5 MP
- Fixed
- IR 30 m
- IP67
- AI

Resolution @ fps	2880 x 1620 @ 30 fps
Sensor	SC500AI CMOS 1/2.7" progressive
Resolution (max.)	2880 x 1620
Focal length	2.8 mm
Focal lens	Fixed lens
Sensitivity	0.004 lx
Angle of view	Horizontal: 110°
Shutter speed	1/5 ~ 1/20000 s
WDR	120 dB
IR rated	30 m
Day / Night	✓
Dimension	Ø 100 x 90 mm
ONVIF	Profile S/G/T
Power consumption	6 W
Power supply	12 V DC / PoE
Accessories	GGM IPCBJ011

5MP

IP67



5MP

IP66



For a discrete surveillance, you can choose the flat dome.
It can be installed in many projects.
Analytic functions are also supported.
Thanks to its large angle of view and high resolution picture
you will experience an efficient surveillance.

GGM IPCMD5F28

-  5 MP
-  Fixed
-  IR 20 m
-  IP66
-  AI

Resolution @ fps	2880 x 1620 @ 30 fps
Sensor	SC500AI CMOS
	1/2.7" progressive
Resolution (max.)	2880 x 1620
Focal length	2.8 mm
Focal lens	Fixed lens
Sensitivity	0.004 lx
Angle of view	Horizontal: 110°
Shutter speed	1/5 ~ 1/20000 s
WDR	120 dB
IR rated	20 m
Day / Night	
Dimension	Ø 115.3 x 64 mm
ONVIF	Profile S/G/T
Power consumption	< 4 W
Power supply	12 V DC / PoE
Accessories	GGM IPCBJ007 GGM IPCBJ008 GGM IPCBJ015 GGM IPCBJ016

Intelligent analytic functions are embedded in cameras.
These functions are very useful to anticipate threats, avoid false
alarms and help you in your daily business.
Here are all AI functions supported by the camera:

-  **CROSSING LINE**
DETECTION
-  **PERIMETER INTRUSION**
DETECTION
-  **HUMAN AND VEHICULE**
DETECTION
-  **CROSS**
COUNTING
-  **STATIONNARY OBJECT**
DETECTION
-  **CROWD DENSITY**
DETECTION
-  **QUEUE LENGTH**
DETECTION
-  **LICENSE PLATE**
DETECTION
-  **FACE**
DETECTION
-  **HEATMAP**
-  **RARE SOUND**
DETECTION

** All intelligent functions can't be used at the same time.
Please refer the GIGAMEDIA technical support web site for more information.*



VIDEOSURVEILLANCE SOLUTION FISHEYE CAMERA

**5MP****IP66**

GGM IPCF12

-  12 MP
-  360°
-  IR 10 m
-  IP66
-  Vandalproof IK10
-  AI

Resolution @ fps	3000 x 3000 @ 25 fps
Sensor	1/2.3" CMOS progressive
Resolution (max.)	4000 (H) x 3000 (V)
Focal length	1.1 mm
Focal lens	Fixed lens
Sensitivity	0.01 lx
Angle of view	360°
Shutter speed	1/5 ~ 1/20000 s
WDR	DWDR
IR rated	10 m
Dimension	Ø 120 x 55 mm
ONVIF	Profile S/G/T
Power consumption	9.6 W
Power supply	12 V DC / PoE
Accessories	GGM IPCBJ013

The fisheye camera provides a 360° angle of view.

The resolution of 12MP allows you to zoom in easily within the picture while maintaining a high level of detail.

The Infrared can light up to 10 m.

This device is IP66 rated and also IK10 for installation in harsh environments.

Many analytic functions are supported by the camera.

Picture can be dewarped through the web interface of the NVR and also the GGM VIEW mobile app.

This discrete camera can be used in open spaces where a 360° surveillance is needed.

FISHEYE CAMERA ACCESSORY

GGM IPCBJ013

Wall / Ceiling mount Junction Box
Ø 126 mm ; H: 42 mm





12MP IP66



GGM IPCSD5X33IR150

- 5 MP
- Optical zoom 33x
- IR 150 m
- IP66
- AI

PTZ CAMERA ACCESSORIES


GGM IPCSDPA
Pole fixing for IP GIGAMEDIA
speed dome



GGM IPCSDCA
Corner Mount for IP GIGAMEDIA
speed dome



Resolution @ fps	2592 x 1944 @ 25 fps
Sensor	1/2.7" CMOS progressive
Resolution (max.)	2592 x 1944
Focal length	4.3 ~ 142 mm
Focal lens	PTZ - optical zoom 33x
Sensitivity	0.003 lx
Angle of view	2.3 ~ 55°
Shutter speed	1/5 ~ 1/20000 s
WDR	120 dB
IR rated	150 m
Day / Night	
Dimension	Ø 206.4 x 351 mm
ONVIF	Profile S/G/T
Power consumption	25.6 W
Power supply	12 V DC / PoE
Accessories	GGM IPCSDPA GGM IPCSDCA



Get remote access to
your cameras through
your mobile or
tablet thanks to the
GGM VIEW free app





SOLUTION VIDEOSURVEILLANCE

8/16/32 CHANNEL

POE NVR

GIGAMEDIA recorders provide excellent value for money for all your security installations.

Using PoE technology, GIGAMEDIA NVR can power up to 16 cameras and support up to 32 streams (depending on models).

The available HDD slot can support 10 Tb hard drive and allows 4K resolution recordings.

All recorders embed a minimum of 8 digital inputs enabling alarm triggered recording.

Thanks to their ONVIF compliance (version 2.6 Profile S/T/G), GIGAMEDIA recorders can stream third parties cameras' images*.

Both UPnP and P2P protocols will help to ease remote access configuration.

Last but not least, you can download the free-to-use GGM VIEW app (iOS and Android) and access remotely to your cameras wherever you are!

** Integration test requested*

FEATURES

- ▶ Maximum recording resolution: 4K
- ▶ WAN: RJ45 Ethernet port: 1000 Mbps
- ▶ H265/H264 compression codec
- ▶ Included power supply: 48 V DC
- ▶ P2P
- ▶ UPnP
- ▶ Intelligent analytic functions embedded



GGM NVRL0108P



GGM NVR021616P



GGM NVR043216P

Number of channels	8	16	32
Number of PoE ports	8	16	16
Recording bandwidth	128Mbps	112 Mbps	256 Mbps
Free HDD slots	1	2	4
I/O alarm	8/1	16/1	16/1
Format	Desktop	Desktop or 19" rack mountable	Desktop or 19" rack mountable
Dimensions (WxDxH)	300 x 227 x 53 mm	380 x 340 x 51 mm	378 x 326 x 66 mm

UNMANAGED SWITCH

POE GIGABIT

The GIGAMEDIA unmanaged Gigabit PoE switches allow you to extend your network at a lower cost while offering an increased speed. Available in multiple formats, desktop or 19" rack mounted, from 4 to 24 ports. In order to guarantee the reliability that is needed, the unmanaged GIGAMEDIA Gigabit switches have been rigorously tested. The high PoE capacity from 65 W to 370 W allows you to supply all the IP peripherals such as cameras, WiFi access points or IP telephones. They will be the perfect companion for all your projects going from home users to small businesses.

FEATURES

- ▶ From 4 to 24 RJ45 ports
- ▶ Auto MDI/MDIX for all ports
- ▶ PoE / PoE+ capable
- ▶ Plug and Play
- ▶ 4 kV surge protection
- ▶ Desktop or 19" rackmount
- ▶ Non-blocking switching capacity
- ▶ 2-year warranty



GGM GS07P



GGM GS24P

P/N	DESCRIPTION
GGM GS04P	Unmanaged Switch 6-port Gigabit inc. 4 PoE+ (PoE budget 65 W)
GGM GS07P	Unmanaged Switch 8-port Gigabit inc. 7 PoE+ (PoE budget 110 W)
GGM GS16P	Unmanaged Switch 16-port Gigabit PoE+ (PoE budget 200 W)
GGM GS24P	Unmanaged Switch 24-port Gigabit PoE+ (PoE budget 370 W)



INJECTOR POE 30 W & 60 W



GIGAMEDIA PoE injectors provide up to 60 W to remote devices on a single RJ45 port.

They support 10/100/1000 Mbps data rates along with the power supply of equipment such as wireless access points, network cameras, IP phones and other high-power Ethernet terminals.

Both models are backward compatible with IEEE 802.3af PoE standard.

MAIN FEATURES

- ▶ Transmission standard: Gigabit Ethernet
- ▶ Number of PoE ports: 1
- ▶ Frequency: 60 Hz
- ▶ Temperature: 0 °C ~ +40 °C

GGM POEINJ30PI FEATURES

- ▶ PoE standard: 802.3at (PoE+)
- ▶ Max. PoE power: 30 W
- ▶ Power supply: 230 V, 550 mA
- ▶ Dimension (H x W x D): 140 x 63 x 33 mm

GGM POEINJ60PI FEATURES

- ▶ PoE standard: 802.3bt (4PPoE)
- ▶ Max. PoE power: 60 W
- ▶ Power supply: 230 V, 1100 mA
- ▶ Dimension (H x W x D): 204 x 130 x 51 mm

P/N	DESCRIPTION
GGM POEINJ30PI	Indoor 30 W PoE injector - plastic casing
GGM POEINJ60PI	Indoor 60 W PoE injector - plastic casing

**Keep your eyes on every detail
with GIGAMEDIA monitors!**

Dedicated to security applications, the GGM CCMLCD21PPHV monitor is designed to operate 24/7 in Full HD resolution (1080p - 1920 x 1080).

Its LED technology provides a high quality colour rendition while its HDMI/VGA inputs allow a large number of peripherals to be connected.

Its size allows it to be placed on a desk using the supplied foot, or on a wall using an optional VESA 100 mounting bracket.

A must-have for your security applications!



FEATURES

- ▶ LED panel
- ▶ Screen size: 21.5" (54 cm)
- ▶ Max resolution: 1920 x 1080
- ▶ Angle of view: 178° horizontal
- ▶ Display format (ratio): 16/9
- ▶ Contrast: 1000:1
- ▶ Brightness: 250 cd/m²
- ▶ HDMI 2.0 / VGA inputs
- ▶ Included: power supply, HDMI cord and foot
- ▶ Plastic housing
- ▶ VESA 100 compatible
- ▶ Dimensions (H x W x D): 380 x 508 x 200 mm

P/N	DESCRIPTION
GGM CCMLCD21PPHV	21.5" Full HD plastic monitor, 1080p resolution with HDMI/VGA inputs



CABLING SYSTEM COPPER

CAT6 U/UTP CABLES

FEATURES

- ▶ Standards: ANSI/TIA-568.2-D, EN50173, ISO/IEC 11801, IEC 61156-5

- ▶ Applications: IEEE802.3: 5GBase-T, 2.5GBase-T, 1000Base-T, 100Base-Tx, 10Base-T
IEEE 802.3af: PoE ; IEEE 802.3at: PoE+



CMP CABLES

FEATURES

- ▶ Fire rating: CMP - Plenum rated acc. to NFPA 262 & CAN/CSA-C22.2

- ▶ Outer diameter: 5.6 mm
- ▶ Outer jacket: PVC CMP

P/N	DESCRIPTION	
GGM C6UCMPR3B	CAT6 UUTP 4P 23AWG PVC CMP UL Certified, blue	Reelex 305 m
GGM C6UCMPR3W	CAT6 UUTP 4P 23AWG PVC CMP UL Certified, white	Reelex 305 m
GGM C6UCMPR3Y	CAT6 UUTP 4P 23AWG PVC CMP UL Certified, yellow	Reelex 305 m



CMR CABLES

FEATURES

- ▶ Fire rating: CMR acc. to UL 1666 & CAN/CSA-C22.2

- ▶ Outer diameter: 6.1 mm
- ▶ Outer jacket: PVC CMR

P/N	DESCRIPTION	
GGM C6UTPCMRR3B	CAT6 UUTP 4P 23AWG PVC CMR UL Certified, blue	Reelex 305 m
GGM C6UTPCMRR3W	CAT6 UUTP 4P 23AWG PVC CMR UL Certified, white	Reelex 305 m

CAT6 UTP RJ45 JACKS

FEATURES

- ▶ Compliant with ANSI/TIA-568.2-D, EN50173, and ISO/IEC 11801
- ▶ Keystone format

- ▶ For 22 to 24 AWG solid cables
- ▶ ETL certified
- ▶ To be used with GGM RAPKTOOL comfort tool



GGM RAPKC6UTPB L



P/N	DESCRIPTION
GGM RAPKC6UTPB L	Rapid Konect CAT6 U/UTP Jack Certified 4PPoE, blue
GGM RAPKC6UTPB W	Rapid Konect CAT6 U/UTP Jack Certified 4PPoE, white
GGM RAPKC6UTPB Y	Rapid Konect CAT6 U/UTP Jack Certified 4PPoE, yellow
GGM RAPKC6UTPB K	Rapid Konect CAT6 U/UTP Jack Certified 4PPoE, black
GGM RAPKC6UTPB G	Rapid Konect CAT6 U/UTP Jack Certified 4PPoE, green
GGM RAPKC6UTPB R	Rapid Konect CAT6 U/UTP Jack Certified 4PPoE, red

GGM RAPKTOOL	Rapid Konect Tool - Connect all 8 wires in one operation
---------------------	--

GGM RAPKTOOL



CAT6 UTP FIELD PLUG


FEATURES

- ▶ Compliant with ANSI/TIA-568.2-D, EN50173, and ISO/IEC 11801
- ▶ Toolless termination

- ▶ 23 to 26 AWG
- ▶ To be used with GIGAMEDIA solid cables



P/N	DESCRIPTION
GGM NFPLUGITC6U	Toolless field plug CAT6 U/UTP solid cable



EMPTY 19" PATCH PANEL

P/N	DESCRIPTION
GGM PAN24VKRCP	Empty 19" patch panel, front identification zone with rear fixing clip



CAT6 U/UTP COUPLER & CONSOLIDATION POINT

P/N	DESCRIPTION
GGM 6210260U00	Consolidation point CAT6 U/UTP IDC Dual (LSA+/110)
GGM 6210270U00	Coupler CAT6 U/UTP RJ45 Fem/Fem black



RJ45 MODULAR PLUG

P/N	DESCRIPTION
GGM MJ8EP8CR	RJ45 UTP modular plug 8P8C for GIGAMEDIA solid cables pack of 10 pcs
GGM 2105XM45BL	RJ45 modular blue boots pack of 10 pcs
GGM 2105XM45WH	RJ45 modular white boots pack of 10 pcs



FACEPLATES & SURFACE MOUNT BOX

P/N	DESCRIPTION
GGM FPCANH1P	Vertical faceplate 1 port
GGM FPCANH2P	Vertical faceplate 2 port
GGM FPCANH3P	Vertical faceplate 3 port
GGM FPCANH4P	Vertical faceplate 4 port + 2 blankers (white)
GGM BOX002KV	Surface mount box 2 ports for keystone with shutter



CAT6 U/UTP SLIM RJ45 PATCH CORD

FEATURES

- ▶ Compliant with ANSI/TIA-568.2-D, EN50173, and ISO/IEC 11801
- ▶ AWG28/7
- ▶ Cable O.D.: 3.6 mm

LENGTH	BLUE	WHITE
1 ' [0,3 m]	GGM CAT6CMS1FTBL	GGM CAT6CMS1FTWH
3 ' [0,9 m]	GGM CAT6CMS3FTBL	GGM CAT6CMS3FTWH
7 ' [2,1 m]	GGM CAT6CMS7FTBL	GGM CAT6CMS7FTWH
10 ' [3,0 m]	GGM CAT6CMS10FTBL	GGM CAT6CMS10FTWH
15 ' [4,6 m]	GGM CAT6CMS15FTBL	GGM CAT6CMS15FTWH
25 ' [7,6 m]	GGM CAT6CMS25FTBL	GGM CAT6CMS25FTWH

TOOLS

P/N	DESCRIPTION
GGM KITLC90	Tool Kit including sharp cutting pliers, stripper and LAN continuity tester
GGM 907H468B	Professional RJ45 crimping tool
GGM 907CUT15S	Sharp cutting pliers



BAIE-COMEAU 3 avenue Babin Baie-Comeau, Quebec, G4Z 3A5 Phone: 418-296-0514	DRUMMONDVILLE 845 rue Cormier Drummondville, Quebec, J2C 6P7 Phone: 819-477-2147	MARKHAM 570 Denison St. Markham, Ontario L3R 1B8 Phone: 905-475-7602	PETERBOROUGH 765 The Kingsway Peterborough, Ontario K9J 6W7 Phone: 705-742-0434	SHERBROOKE 4110 Boulevard Industriel Sherbrooke, J1L 2S6 Phone: 819-569-9086
BARRIE 142 Commerce Park Dr, Units S T U, Barrie, Ontario, L4N 8W8 Phone: 705-726-0211	EDMONTON 3915 97 Street Northwest Edmonton, Alberta, T6E 6P6 Phone: 780-465-9511	MILTON 274 Alliance Rd., Units 6 & 7 Milton, Ontario L9T 2V2 Phone: 905-876-3757	PRINCE GEORGE 3596 Massey Drive Prince George, British Columbia, V2N 2M4 Phone: 250-563-1292	ST.CATHARINES 128 Grantham Ave. S, Unit 1 St. Catharines, Ontario, L2P 3H2 Phone: 905-938-7394
BELLEVILLE 200 Adam St., Unit 3 Belleville, Ontario, K8N 2X9 Phone: 613-966-7777	ETOBICOKE (EVANS) 299 Evans Ave. Etobicoke, Ontario, M8Z 1K2 Phone: 416-252-5638	MISSISSAUGA (KEATON) 5600 Keaton Cres. Mississauga, Ontario, L5R 3G3 Phone: 905-568-5021	QUÉBEC 7625 des Rocailles Québec, Quebec, G2J 1A2 Phone: 418-624-2435	SUDBURY 1785 Frobisher Street, Unit 2 Sudbury, Ontario P3A 6C8 Phone: 705-560-2800
BRACEBRIDGE 440 Eccleston Dr., Units 15 & 16, Bracebridge, Ontario, P1L 1Z6 Phone: 705-645-7200	GATINEAU 95 rue Noël Gatineau, Quebec, J8Z 0A6 Phone: 819-771-8341	NANAIMO 2363 Cienar Drive Nanaimo, British Columbia, V9T 3L6 Phone: 250-756-1177	QUESNEL 1275B Cariboo Hwy 97 North Quesnel, British Columbia, V2J 2Y3 Phone: 250-992-6008	SURREY #401 13060 80th Avenue Surrey, British Columbia, V3W 3B2 Phone: 604-501-2244
BRAMPTON 270 Rutherford Rd S., Units 6 & 7 Brampton, Ontario L6W 3K7 Phone: 905-450-0310	HAMILTON 515 Wilson St., Hamilton, Ontario, L8L 1T4 Phone: 905-528-0261	NEWMARKET 120 Harry Walker Pkwy, Unit 3 Newmarket, Ontario, L3Y 7B2 Phone: 905-836-0900	RED DEER 7882 Edgar Industrial Way Bay E, Red Deer, Alberta, T4P 3R2 Phone: 403-348-5162	TIMMINS 870 Algonquin Blvd., Timmins, Ontario P4N 1B7 Phone: 705-264-4293
BRANTFORD 51 Woodyatt Dr., Units 1 & 2 Brantford, Ontario N3R 7K3 Phone: 519-759-3595	KANATA 2710 Carp Road D Carp, Ontario, K0A 1L0 Phone: 613-836-7515	NORTH BAY 755 Wallace Rd., North Bay, Ontario, P1A 0E7 Phone: 705-474-3120	REGINA 831 MacKay Street Regina, Saskatchewan, S4N 2S3 Phone: 306-525-2531	TORONTO 4 Carlaw Ave, Unit 1 Toronto, Ontario M4M 2R5 Phone: 416-593-7132
BROCKVILLE 333 California Ave, Unit 19 Brockville, Ontario K6V 6N5 Phone: 613-342-0600	KINGSTON 1407 John Counter Blvd., Unit 10, Kingston, Ontario, K7K 6A9 Phone: 613-546-2661	NORTH VANCOUVER 1448A Crown Street North Vancouver, British Columbia, V7J 1G5 Phone: 604-985-0466	RICHMOND 4455 No. 6 Road Richmond, British Columbia, V6V 1P8 Phone: 604-273-2244	TROIS-RIVIERES 2400 Rue de L Industrie Trois-Rivières, G8Z 4R5 Phone: 819-691-3188
BURLINGTON 975 Fraser Dr., Units 2-3 Burlington, Ontario L7L 4X8 Phone: 905-632-3088	KIRKLAND LAKE 36 Government Rd E Kirkland Lake, Ontario P2N 1A3 Phone: 705-567-2375	OAKVILLE 2245 Wyecroft Rd Oakville, ON L6L 5L7 Phone: 905-827-4421	SAINT-JEAN-SUR-RICHELIEU 850-100 Pierre Caisse St-Jean-sur-Richelieu, Quebec, J3B 7Y5 Phone: 450-348-8750	VAL D'OR 22 Rue Turgeon Val-d'Or, J9P 0A5 Phone: 819-825-2460
BROSSARD 4200 Boulevard Matte Unit F, Brossard, Quebec, J4Y 2Z2 Phone: 450-444-2583	KITCHENER 20 Steckle Place, Unit 4 Kitchener, Ontario N2E 2C3 Phone: 519-893-8078	ORILLIA 23 Progress Drive, Unit 5 Orillia, Ontario L3V 0T7 Phone: 705-325-9993	SAINT-JÉRÔME 200 Boul. Roland-Godard St-Jerome, Quebec, J7Y 4P7 Phone: 450-438-2000	VALLEYFIELD 120 Boul. Mgr. Langlois Valleyfield, J6S 4V3 Phone: 450-371-5575
CALGARY 4324 - 12th Street SE Calgary, Alberta, T2G 3H9 Phone: 403-508-7999	LANGLEY #101-20688 Duncan Way Langley, British Columbia, V3A 7A3 Phone: 604-530-0771	OSHAWA 555 Wentworth St. E, Units 9 & 10 Oshawa, Ontario L1H 3V8 Phone: 905-721-8400	SAINT-LAURENT (LOCKE) 505 Rue Locke St-Laurent, Quebec, H4T 1X7 Phone: 514-341-3700	VANCOUVER 368 West 4th Ave Vancouver, British Columbia, V5Y 1G9 Phone: 604-899-0229
CHATHAM 480 Riverview Dr., Units 3 & 4 Chatham, Ontario N7M 0N2 Phone: 519-354-5222	LAVAL 1639 autoroute 440 Ouest Laval, Quebec, H7L 3W3 Phone: 450-668-8140	OTTAWA 700 avenue Industriel Ottawa, Ontario, K1G 0Y9 Phone: 613-247-7500	SASKATOON #1 2301 Faithfull Avenue Saskatoon, Saskatchewan, S7K 1T9 Phone: 306-653-5020	VERNON 5008 - 24th Street Vernon, British Columbia, V1T 8X2 Phone: 250-545-5391
CHICOUTIMI 1260 rue Manic Chicoutimi, Quebec, G7K 1A2 Phone: 418-543-4418	LINDSAY 16 Commerce Place Lindsay, Ontario K9V 5Y4 Phone: 705-878-7000	PENTICTON 260 Industrial Avenue E Penticton, British Columbia, V2A 3H8 Phone: 250-492-8365	SAULT STE. MARIE 80 White Oak Dr. E Sault Ste. Marie, Ontario, P6B 4J8 Phone: 705-949-7025	VICTORIA 3125 Steele Street Victoria, British Columbia, V8Z 3N7 Phone: 250-383-1116
COBOURG 50 Veronica St. Cobourg, Ontario K9A 0B8 Phone: 905-372-2297	LONDON 304 Adelaide St. South London, Ontario N5Z 3L2 Phone: 519-438-3344	PERTH 130 Collings St. RR # 6 Perth, Ontario K7H 3C8 Phone: 613-267-3560	SCARBOROUGH 670 Progress Ave., Unit 9, Scarborough, Ontario, M1H 3A4 PHONE: 416-439-4290	WINNIPEG 1313 King Edward Street Winnipeg, Manitoba, R3H 0R6 Phone: 204-694-1313
			SEPT-ÎLES 440 Avenue Quebec Sept-Îles, G4R 1J7 Phone: 418-962-3421	VAUGHAN 107 Whitmore Road, Vaughan, Ontario L4L 6E2 Phone: 905-264-1788
				WINDSOR 3040 Deziel Dr. Windsor, Ontario N8W 5A5 Phone: 519-974-0099



NEDCO
WEBSITE

