



THE ESSENTIALS 2024
SOLUTIONS SPECIALISTS
FOR SMART BUILDINGS





GIGAMEDIA is a French brand created in 1996 that has established itself as the **leading distributor of cabling systems** in France, and has expanded rapidly across Europe and now Canada.

GIGAMEDIA provides **a full range of innovative solutions for small and medium contractors**, dedicated to the distribution of cabling systems, IT and telecommunications networks.

The solutions offered by GIGAMEDIA are key elements of smart building infrastructures with the following ranges: video surveillance kits, cameras, switches and copper cabling solutions that offer a full **GIGAMEDIA solution for your security and datacom projects**.

SEEKING SECURITY SOLUTIONS?

GET INSPIRED AND SEE
WHAT WE HAVE ON OFFER RIGHT NOW!



Visit us on:
nedco.ca



SCAN THIS
QR CODE

Watch over your success
our security solutions await!






Fuel your security



Small office



Eyes on
EVERY
detail

Retail shop



School

In ALL your
projects



Coffee shop

Restaurant



NEED HELP?

**OUR EXPERTS
HAVE YOU COVERED!**

- ▶ Through your local NEDCO branch
- ▶ Via our dedicated online portal featuring FAQ, tutorials, how-to videos and a knowledge database



VIDEOSURVEILLANCE SOLUTION 5 MP KIT (WITH BULLET CAMERA)



4 (or 8) bullet camera

+ 1 PoE NVR 8 (or 16) channel

+ 2 (or 4) TB HDD

CAMERA FEATURES

- ▶ Video compression: H265 / H264 real time
- ▶ Type of sensor: 1/2.7" SC500AI progressive CMOS
- ▶ Resolution: 5 MP (2880 x 1620 px)
- ▶ Sensitivity: 0.004 lx
- ▶ Focal lens: fixed lens, 2.8 mm
- ▶ Angle of view: 110°
- ▶ IR 30 m
- ▶ Installation environment: indoor/outdoor
- ▶ Power supply: PoE (802.3af) or 12 VDC
- ▶ IP67
- ▶ Built-in microphone



NVR FEATURES

- ▶ Video compression: H265 / H264
- ▶ Video input: 8 or 16 CH 5 MP PoE powered
- ▶ Audio output: 1 CH RCA connector
- ▶ HDMI output: up to 4K
- ▶ VGA output: up to 1080p
- ▶ Alarm I/O: 8/1 or 16/1
- ▶ HDD capacity: 2 TB or 4 TB included (up to 10 TB)
- ▶ Mobile app: GGM VIEW
- ▶ AI function: supported



P/N	DESCRIPTION
GGM KITIP48C5MP	5 MP videosurveillance kit 4 bullet camera + 1 PoE NVR 8 channel + 2 TB HDD
GGM KITIP816C5MP	5 MP videosurveillance kit 8 bullet camera + 1 PoE NVR 16 channel + 4 TB HDD
GGM IPCLB5F28	IP mini bullet 5MP IR 20 m fixed lens 2.8 mm
GGM IPCBJ011	Wall / ceiling mount junction box (GGM IPCLB5F28 / GGM IPCD5F28)



4 (or 8) dome camera

+ 1 PoE NVR 8 (or 16) channel

+ 2 (or 4) TB HDD



SCHOOL



COFFEE SHOP



SMALL OFFICE



RETAIL



RESTAURANT

CAMERA FEATURES

- ▶ Video compression: H265 / H264 real time
- ▶ Type of sensor: 1/2.7" SC500A1 progressive CMOS
- ▶ Resolution: 5 MP (2880 x 1620 px)
- ▶ Sensitivity: 0.004 lx
- ▶ Focal lens: fixed lens, 2.8 mm
- ▶ Angle of view: 110°
- ▶ IR 20 m
- ▶ Installation environment: indoor/outdoor
- ▶ Power supply: PoE (802.3af) or 12 VDC
- ▶ IK10
- ▶ Built-in microphone



NVR FEATURES

- ▶ Video compression: H265 / H264
- ▶ Video input: 8 or 16 CH 5 MP PoE powered
- ▶ Audio output: 1 CH RCA connector
- ▶ HDMI output: up to 4K
- ▶ VGA output: up to 1080p
- ▶ Alarm I/O: 8/1 or 16/1
- ▶ HDD capacity: 2 TB or 4 TB included (up to 10 TB)
- ▶ Mobile app: GGM VIEW
- ▶ AI function: supported



P/N	DESCRIPTION
GGM KITIP48CDM5MP	5 MP videosurveillance kit 4 vandalproof dome + 1 PoE NVR 8 channel + 2 TB HDD
GGM KITIP816CDM5MP	5 MP videosurveillance kit 8 vandalproof dome + 1 PoE NVR 16 channel + 4 TB HDD
GGM IPCDM5F28	IP dome camera 5MP IR 20 m focal lens 2.8 mm IK10
GGM IPCBJ015	Junction box wall / ceiling for GGM IPCDM5F28
GGM IPCBJ016	Junction box for GGM IPCDM5F28
GGM IPCBJ007	Ceiling fixing tube for junction box
GGM IPCBJ008	Wall fixing foot for junction box



VIDEOSURVEILLANCE SOLUTION BULLET CAMERA


5MP
IP67

Bullet cameras for retails and tertiary business. All the range support PoE technology. High quality sensor will provide a clear picture even in low light condition. Every camera includes analytics functions to anticipate threats and get the most out of your solutions


GGM IPCB5MV12E

- 5 MP
- Motorized
- IR 40 m
- IP67
- AI


GGM IPCB5VFM550VE

- 5 MP
- Motorized
- IR 80 m
- IP67
- AI


GGM IPCLB5F28

- 5 MP
- Fixed
- IR 30 m
- IP67

Resolution @ fps	2592 x 1944 @ 30 fps	2592 x 1944 @ 30 fps	2880 x 1620 @ 30 fps
Sensor	OS05A20 CMOS STARVIS 1/2.7" progressive	OS05A20 CMOS STARVIS 1/2.7" progressive	SC500AI CMOS 1/2.7" progressive
Resolution (max.)	2592 x 1944	2592 x 1944	2880 x 1620
Focal length	2.7 ~ 13.5 mm	5 ~ 50 mm	2.8 mm
Focal lens	Motorized lens	Motorized lens	Fixed lens
Sensitivity	0.003 lx	0.003 lx	0.004 lx
Angle of view	Horizontal: 102° ~ 31°	Horizontal: 45° ~ 7°	Horizontal: 110°
Shutter speed	1/5 ~ 1/20000 s	1/5 ~ 1/20000 s	1/5 ~ 1/20000 s
WDR	120 dB	120 dB	120 dB
IR rated	40 m	80 m	30 m
Day / Night			
Dimension	83.8 x 242 x 87.4 mm	89.5 x 301 x 108 mm	71 x 150 x 71 mm
ONVIF	Profile S/G/T	Profile S/G/T	Profile S/G/T
Power consumption	< 9 W	10 W	< 6 W
Power supply	12 V DC / PoE	12 V DC / PoE	12 V DC / PoE
Accessories	GGM IPCBJ002	GGM IPCBJ002	GGM IPCBJ011



5MP

IP67

Dome cameras are very popular for retail applications and fit with many indoor and outdoor situations.

All models support PoE technology.

They include analytics functions to anticipate threats and get the most of your solutions.

Furthermore, the GGM IPCD5MV12VE model is vandalproof and can be installed in harsh environments.



GGM IPCDM5F28

- 5 MP
- Fixed
- IR 20 m
- IP67
- AI




GGM IPCD5MV12VE

- 5 MP
- Motorized
- IR 30 m
- IP67
- Anti-vandal IK10
- AI

Resolution @ fps	2880 x 1620 @ 30 fps	2592 x 1944 @ 30 fps
Sensor	SC500AI CMOS 1/2.7" progressive	OS05A20 CMOS STARVIS 1/2.8" progressive
Resolution (max.)	2880 x 1620	2592 x 1944
Focal length	2.8 mm	2.7 ~ 13.5 mm
Focal lens	Fixed lens	Motorized lens
Sensitivity	0.004 lx	0.003 lx
Angle of view	Horizontal: 110°	Horizontal: 102° ~ 31°
Shutter speed	1/5 ~ 1/20000 s	1/5 ~ 1/20000 s
WDR	120 dB	120 dB
IR rated	20 m	30 m
Day / Night		
Dimension	Ø 155 x 91.6 mm	Ø 150 x 109 mm
ONVIF	Profile S/G/T	Profile S/G/T
Power consumption	5.1 W	7.5 W
Power supply	12 V DC / PoE	12 V DC / PoE
Accessories	GGM IPCBJ007 GGM IPCBJ008 GGM IPCBJ015 GGM IPCBJ016	GGM IPCBJ003 GGM IPCBJ009



VIDEOSURVEILLANCE SOLUTION DOME EYEBALL CAMERA



Get remote access to
your cameras through
your mobile or
tablet thanks to the
GGM VIEW free app



5MP

IP67

GGM IPCD5MV12E

- 5 MP
- Motorized
- IR 45 m
- IP67
- AI

GGM IPCD5F28

- 5 MP
- Fixed
- IR 30 m
- IP67
- AI

Resolution @ fps	2592 x 1944 @ 30 fps	2880 x 1620 @ 30 fps
Sensor	OS05A20 CMOS 1/2.7" progressive	SC500AI CMOS 1/2.7" progressive
Resolution (max.)	2592 x 1944	2880 x 1620
Focal length	2.7 ~ 13.5 mm	2.8 mm
Focal lens	Motorized lens	Fixed lens
Sensitivity	0.003 lx	0.004 lx
Angle of view	Horizontal: 102° ~ 31°	Horizontal: 110°
Shutter speed	1/5 ~ 1/20000 s	1/5 ~ 1/20000 s
WDR	120 dB	120 dB
IR rated	45 m	30 m
Day / Night	✓	✓
Dimension	Ø 135.56 x 127 mm	Ø 100 x 90 mm
ONVIF	Profile S/G/T	Profile S/G/T
Power consumption	9.5 W	6 W
Power supply	12 V DC / PoE	12 V DC / PoE
Accessories	GGM IPCBJ002	GGM IPCBJ011



5MP

IP66

For a discrete surveillance, you can choose the flat dome. It can be installed in many projects.

Analytics functions are also supported.

Thanks to its large angle of view and high resolution picture you will experience an efficient surveillance.



GGM IPCMD5F28

-  5 MP
-  Fixed
-  IR 20 m
-  IP66
-  AI

Resolution @ fps	2880 x 1620 @ 30 fps
Sensor	SC500AI CMOS
	1/2.7" progressive
Resolution (max.)	2880 x 1620
Focal length	2.8 mm
Focal lens	Fixed lens
Sensitivity	0.004 lx
Angle of view	Horizontal: 110°
Shutter speed	1/5 ~ 1/20000 s
WDR	120 dB
IR rated	20 m
Day / Night	
Dimension	Ø 115.3 x 64 mm
ONVIF	Profile S/G/T
Power consumption	< 4 W
Power supply	12 V DC / PoE

Intelligent analytics functions are embedded in cameras. These functions are very useful to anticipate threats, avoid false alarms and help you in your daily business. Here are all IA functions supported by the camera:

-  **CROSSING LINE**
DETECTION
-  **PERIMETER INTRUSION**
DETECTION
-  **HUMAN AND VEHICLE**
DETECTION
-  **CROSS**
COUNTING
-  **STATIONNARY OBJECT**
DETECTION
-  **CROWD DENSITY**
DETECTION
-  **QUEUE LENGTH**
DETECTION
-  **LICENSE PLATE**
DETECTION
-  **FACE**
DETECTION
-  **HEATMAP**
-  **RARE SOUND**
DETECTION

* All intelligent functions can't be used at the same time.
Please refer the GIGAMEDIA technical support web site for more information.



VIDEOSURVEILLANCE SOLUTION FISHEYE CAMERA



5MP

IP66

GGM IPCF12

- 12 MP
- 360°
- IR 10 m
- IP66
- Anti-vandal IK10
- AI

Resolution @ fps	3000 x 3000 @ 25 fps
Sensor	1/2.3" CMOS progressive
Resolution (max.)	4000 (H) x 3000 (V)
Focal length	1.1 mm
Focal lens	Fixed lens
Sensitivity	0.01 lx
Angle of view	360°
Shutter speed	1/5 ~ 1/20000 s
WDR	DWDR
IR rated	10 m
Dimension	Ø 120 x 55 mm
ONVIF	Profile S/G/T
Power consumption	9.6 W
Power supply	12 V DC / PoE
Accessories	GGM IPCBJ013

The fisheye camera provides a 360° angle of view.

The resolution of 12MP allows to zoom in easily in the picture while maintaining a high level of detail.

The Infrared can light up to 10 m. Built-in microphone can help you for remote check in case of problem.

This device is IP66 rated and also IK10 for installation in harsh environments.

Many analytics functions (AI) are supported by the camera.

Picture can be dewarped through the web interface of the NVR and also the GGM VIEW mobile app.

This discrete camera can be used in open spaces where a 360° surveillance is needed.

FISHEYE CAMERA ACCESSORY

GGM IPCBJ013

Wall / Ceiling mount Junction Box
Ø 126 mm ; H: 42 mm





12MP **IP66**



GGM IPCSD5X33IR150

- 5 MP
- Optical zoom 33x
- IR 150 m
- IP66

PTZ CAMERA ACCESSORIES

GGM IPCSDPA
Pole fixing for IP GIGAMEDIA
speed dome



GGM IPCSDCA
Corner Mount for IP GIGAMEDIA
speed dome



Resolution @ fps	2592 x 1944 @ 25 fps
Sensor	1/2.7" CMOS progressive
Resolution (max.)	2592 x 1944
Focal length	4.3 ~ 142 mm
Focal lens	PTZ - optical zoom 33x
Sensitivity	0.003 lx
Angle of view	2.3 ~ 55°
Shutter speed	1/5 ~ 1/20000 s
WDR	120 dB
IR rated	150 m
Day / Night	☒
Dimension	Ø 206.4 x 351 mm
ONVIF	Profile S/G/T
Power consumption	25.6 W
Power supply	12 V DC / PoE
Accessories	GGM IPCSDPA GGM IPCSDCA



Get remote access to
your cameras through
your mobile or
tablet thanks to the
GGM VIEW free app





8/16/32 CHANNEL POE NVR

GIGAMEDIA recorders provide excellent value for money for your security installations.

The range is dedicated to small and medium projects, with NVRs that integrate 8 to 16 ports to power your cameras directly and can support up to 32 camera streams (GGM NVR043216P).

The free HDD slots offer a capacity of 10 Tb, for your recordings up to 4K resolution.

All recorders embed a minimum of 8 alarm inputs to trigger recording on alarm and 1 alarm output.

They also support many AI functions linked with cameras for further pro-active surveillance.

ONVIF compliant (version 2.6 Profile S/T/G), they can accept other brands of cameras*

Additionally, UPnP and P2P protocols will help you configure the remote access easily.

For further comfort, the GGM VIEW app is available on IOS and Android platform for remote access.

* Integration test needed

FEATURES


- ▶ Maximum recording resolution: 4K
- ▶ WAN: RJ45 Ethernet port: 1000 Mbps
- ▶ H265/H264 compression codec
- ▶ Included power supply: 48 V DC
- ▶ P2P
- ▶ UPnP
- ▶ Intelligent analytics function embedded



GGM NVRL0108P



GGM NVR021616P



GGM NVR043216P

Number of channels	8	16	32
Number of PoE ports	8	16	16
Recording bandwidth	128Mbps	112 Mbps	256 Mbps
Free HDD slots	1	2	4
I/O alarm	8/1	16/1	16/1
Format	Desktop	Desktop or 19" rack mountable	Desktop or 19" rack mountable
Dimensions (WxDxH)	300 x 227 x 53 mm	380 x 340 x 51 mm	378 x 326 x 66 mm

UNMANAGED SWITCH POE GIGABIT

The GIGAMEDIA unmanaged Gigabit PoE switches portfolio allows you to extend your network at lower cost while offering increased speed. Available in multiple formats, desktop or 19" rack mounted, from 4 to 24 ports. In order to guarantee the reliability that is needed, the unmanaged GIGAMEDIA Gigabit switches have been rigorously tested. The high PoE capacity from 65 W to 370 W allows you to supply all the IP peripherals such as cameras, WiFi access points or IP telephones. They will be the perfect companion for all your projects going from home users to small businesses.

FEATURES

- ▶ From 4 to 24 RJ45 ports
- ▶ Auto MDI/MDIX for all ports
- ▶ PoE / PoE+ capable
- ▶ Plug and Play
- ▶ 4 kV surge protection
- ▶ Desktop or 19" rackmount
- ▶ Non-blocking switching capacity
- ▶ 2-year warranty



GGM GS07P



GGM GS24P

P/N	DESCRIPTION
GGM GS04P	Unmanaged Switch 6-port Gigabit inc. 4 PoE+ (PoE budget 65 W)
GGM GS07P	Unmanaged Switch 8-port Gigabit inc. 7 PoE+ (PoE budget 110 W)
GGM GS16P	Unmanaged Switch 16-port Gigabit PoE+ (PoE budget 200 W)
GGM GS24P	Unmanaged Switch 24-port Gigabit PoE+ (PoE budget 370 W)



INJECTOR POE 30 W & 60 W



GIGAMEDIA PoE injectors provide up to 60 W to remote devices on a single RJ45 port.

They support 10/100/1000 Mbps data rates along with the power supply of equipment such as wireless access points, network cameras, IP phones and other high-power Ethernet terminals.

Both models are backward compatible with IEEE 802.3af PoE standard.

MAIN FEATURES

- ▶ Transmission standard: Gigabit Ethernet
- ▶ Number of PoE ports: 1
- ▶ Frequency: 60 Hz
- ▶ Temperature: 0 °C ~ +40 °C

GGM POEINJ30PI FEATURES

- ▶ PoE standard: 802.3at (PoE+)
- ▶ Max. PoE power: 30 W
- ▶ Power supply: 230 V, 550 mA
- ▶ Dimension (H x W x D): 140 x 63 x 33 mm

GGM POEINJ60PI FEATURES

- ▶ PoE standard: 802.3bt (4PPoE)
- ▶ Max. PoE power: 60 W
- ▶ Power supply: 230 V, 1100 mA
- ▶ Dimension (H x W x D): 204 x 130 x 51 mm

P/N	DESCRIPTION
GGM POEINJ30PI	Indoor 30 W PoE injector - plastic casing
GGM POEINJ60PI	Indoor 60 W PoE injector - plastic casing

*Keep your eyes on every detail
with GIGAMEDIA monitors range!*

Dedicated to security applications, the GGM CCMLCD21PPHV monitor is designed to operate 24/7 in Full HD resolution (1080p - 1920 x 1080).

Its LED technology provides a high quality colour rendition while its HDMI/VGA inputs allow a large number of peripherals to be connected.

Its size allows it to be placed on a desk using the supplied foot, or on a wall using an optional VESA 100 mounting bracket.

A must-have for your security applications!

FEATURES

- ▶ LED panel
- ▶ Screen size: 21.5" (54 cm)
- ▶ Max resolution: 1920 x 1080
- ▶ Angle of view: 178° horizontal
- ▶ Display format (ratio): 16/9
- ▶ Contrast: 1000:1
- ▶ Brightness: 250 cd/m²
- ▶ HDMI 2.0 / VGA inputs
- ▶ Included: power supply, HDMI cord and foot
- ▶ Plastic housing
- ▶ VESA 100 compatible
- ▶ Dimensions (H x W x D): 380 x 508 x 200 mm




P/N	DESCRIPTION
GGM CCMLCD21PPHV	21.5" Full HD plastic monitor, 1080p resolution with HDMI/VGA inputs



CAT6 U/UTP CABLES

FEATURES

- ▶ Standards: ANSI/TIA-568.2-D, EN50173, ISO/IEC 11801, IEC 61156-5
- ▶ Applications: IEEE802.3: 5GBase-T, 2.5GBase-T, 1000Base-T, 100Base-Tx, 10Base-T
IEEE 802.3af: PoE ; IEEE 802.3at: PoE+




CMP CABLES

FEATURES

- ▶ Fire rating: CMP - Plenum rated acc. to NFPA 262 & CAN/CSA-C22.2
- ▶ Outer diameter: 5.6 mm
- ▶ Outer jacket: PVC CMP

P/N	DESCRIPTION	
GGM C6UCMPR3B	CAT6 UUTP 4P 23AWG PVC CMP UL Certified, blue	Reelex 305 m
GGM C6UCMPR3W	CAT6 UUTP 4P 23AWG PVC CMP UL Certified, white	Reelex 305 m
GGM C6UCMPR3Y	CAT6 UUTP 4P 23AWG PVC CMP UL Certified, yellow	Reelex 305 m



CMR CABLES

FEATURES

- ▶ Fire rating: CMR acc. to UL 1666 & CAN/CSA-C22.2
- ▶ Outer diameter: 6.1 mm
- ▶ Outer jacket: PVC CMR

P/N	DESCRIPTION	
GGM C6UTPCMR3B	CAT6 UUTP 4P 23AWG PVC CMR UL Certified, blue	Reelex 305 m
GGM C6UTPCMR3W	CAT6 UUTP 4P 23AWG PVC CMR UL Certified, white	Reelex 305 m

CAT6 UTP RJ45 JACKS

FEATURES

- ▶ Compliant with ANSI/TIA-568.2-D, EN50173, and ISO/IEC 11801
- ▶ For 22 to 24 AWG solid cables
- ▶ Keystone format
- ▶ ETL certified
- ▶ To be used with GGM RAPKTOOL comfort tool



GGM RAPKC6UTPBK



P/N	DESCRIPTION
GGM RAPKC6UTPBK	Rapid Konect CAT6 U/UTP Jack Certified 4PPoE, blue
GGM RAPKC6UTPBW	Rapid Konect CAT6 U/UTP Jack Certified 4PPoE, white
GGM RAPKC6UTPYL	Rapid Konect CAT6 U/UTP Jack Certified 4PPoE, yellow
GGM RAPKC6UTPBK	Rapid Konect CAT6 U/UTP Jack Certified 4PPoE, black
GGM RAPKC6UTPGN	Rapid Konect CAT6 U/UTP Jack Certified 4PPoE, green
GGM RAPKC6UTPRD	Rapid Konect CAT6 U/UTP Jack Certified 4PPoE, red
GGM RAPKTOOL	Rapid Konect Tool - Connect all 8 wires in one operation



GGM RAPKTOOL

CAT6 UTP FIELD PLUG

FEATURES

- ▶ Compliant with ANSI/TIA-568.2-D, EN50173, and ISO/IEC 11801
- ▶ 23 to 26 AWG
- ▶ Toolless termination
- ▶ To be used with GIGAMEDIA solid cables



P/N	DESCRIPTION
GGM NFPLUGITC6U	Toolless field plug CAT6 U/UTP solid cable



EMPTY 19" PATCH PANEL

P/N	DESCRIPTION
GGM PAN24VKRCP	Empty 19" patch panel, front identification zone with rear fixing clip




CAT6 U/UTP COUPLER & CONSOLIDATION POINT

P/N	DESCRIPTION
GGM 6210260U00	Consolidation point CAT6 U/UTP IDC Dual (LSA+/110)
GGM 6210270U00	Coupler CAT6 U/UTP RJ45 Fem/Fem black



RJ45 MODULAR PLUG

P/N	DESCRIPTION	
GGM MJ8EP8CR	RJ45 UTP modular plug 8P8C for GIGAMEDIA solid cables	pack of 10 pcs
GGM 2105XM45BL	RJ45 modular blue boots	pack of 10 pcs
GGM 2105XM45WH	RJ45 modular white boots	pack of 10 pcs



FACEPLATES & SURFACE MOUNT BOX

P/N	DESCRIPTION
GGM FPCANH1P	Vertical faceplate 1 port
GGM FPCANH2P	Vertical faceplate 2 port
GGM FPCANH3P	Vertical faceplate 3 port
GGM FPCANH4P	Vertical faceplate 4 port + 2 blankers (white)
GGM BOX002KV	Surface mount box 2 ports for keystone with shutter



CAT6 U/UTP SLIM RJ45 PATCH CORD

FEATURES

- ▶ Compliant with ANSI/TIA-568.2-D, EN50173, and ISO/IEC 11801
- ▶ AWG28/7
- ▶ Cable O.D.: 3.6 mm

LENGTH	BLUE	WHITE
1 ' [0,3 m]	GGM CAT6CMS1FTBL	GGM CAT6CMS1FTWH
3 ' [0,9 m]	GGM CAT6CMS3FTBL	GGM CAT6CMS3FTWH
7 ' [2,1 m]	GGM CAT6CMS7FTBL	GGM CAT6CMS7FTWH
10 ' [3,0 m]	GGM CAT6CMS10FTBL	GGM CAT6CMS10FTWH
15 ' [4,6 m]	GGM CAT6CMS15FTBL	GGM CAT6CMS15FTWH
25 ' [7,6 m]	GGM CAT6CMS25FTBL	GGM CAT6CMS25FTWH

TOOLS



P/N	DESCRIPTION
GGM KITLC90	Tool Kit including sharp cutting pliers, stripper and LAN continuity tester
GGM 907H468B	Professionnal RJ45 crimping tool
GGM 907CUT15S	Sharp cutting pliers

BAIE-COMEAU
3 avenue Babin
Baie-Comeau, Quebec, G4Z 3A5
Phone: 418-296-0514

BARRIE
142 Commerce Park Dr, Units S T U,
Barrie, Ontario, L4N 8W8
Phone: 705-726-0211

BELLEVILLE
200 Adam St., Unit 3
Belleville, Ontario, K8N 2X9
Phone: 613-966-7777

BRACEBRIDGE
440 Eccleston Dr., Units 15 & 16,
Bracebridge, Ontario, P1L 1Z6
Phone: 705-645-7200

BRAMPTON
270 Rutherford Rd S., Units 6 & 7
Brampton, Ontario L6W 3K7
Phone: 905-450-0310

BRANTFORD
51 Woodyatt Dr., Units 1 & 2
Brantford, Ontario N3R 7K3
Phone: 519-759-3595

BROCKVILLE
333 California Ave, Unit 19
Brockville, Ontario K6V 6N5
Phone: 613-342-0600

BURLINGTON
975 Fraser Dr., Units 2-3
Burlington, Ontario L7L 4X8
Phone: 905-632-3088

BROSSARD
4200 Boulevard Matte
Unit F, Brossard, Quebec, J4Y 2Z2
Phone: 450-444-2583

CALGARY
4324 - 12th Street SE
Calgary, Alberta, T2G 3H9
Phone: 403-508-7999

CHATHAM
480 Riverview Dr., Units 3 & 4
Chatham, Ontario N7M 0N2
Phone: 519-354-5222

CHICOUTIMI
1260 rue Manic
Chicoutimi, Quebec, G7K 1A2
Phone: 418-543-4418

COBOURG
50 Veronica St.
Cobourg, Ontario K9A 0B8
Phone: 905-372-2297

DRUMMONDVILLE
845 rue Cormier
Drummondville, Quebec, J2C 6P7
Phone: 819-477-2147

EDMONTON
3915 97 Street Northwest
Edmonton, Alberta, T6E 6P6
Phone: 780-465-9511

ETOBICOKE (EVANS)
299 Evans Ave.
Etobicoke, Ontario, M8Z 1K2
Phone: 416-252-5638

GATINEAU
95 rue Noël
Gatineau, Quebec, J8Z 0A6
Phone: 819-771-8341

HAMILTON
515 Wilson St.,
Hamilton, Ontario, L8L 1T4
Phone: 905-528-0261

KANATA
2710 Carp Road D
Carp, Ontario, K0A 1L0
Phone: 613-836-7515

KINGSTON
1407 John Counter Blvd., Unit 10,
Kingston, Ontario, K7K 6A9
Phone: 613-546-2661

KIRKLAND LAKE
36 Government Rd E
Kirkland Lake, Ontario P2N 1A3
Phone: 705-567-2375

KITCHENER
20 Steckle Place, Unit 4
Kitchener, Ontario N2E 2C3
Phone: 519-893-8078

LANGLEY
#101-20688 Duncan Way
Langley, British Columbia, V3A 7A3
Phone: 604-530-0771

LAVAL
1639 autoroute 440 Ouest
Laval, Quebec, H7L 3W3
Phone: 450-668-8140

LINDSAY
16 Commerce Place
Lindsay, Ontario K9V 5Y4
Phone: 705-878-7000

LONDON
304 Adelaide St. South
London, Ontario N5Z 3L2
Phone: 519-438-3344

MARKHAM
570 Denison St.
Markham, Ontario L3R 1B8
Phone: 905-475-7602

MILTON
274 Alliance Rd., Units 6 & 7
Milton, Ontario L9T 2V2
Phone: 905-876-3757

MISSISSAUGA (KEATON)
5600 Keaton Cres.
Mississauga, Ontario, L5R 3G3
Phone: 905-568-5021

NANAIMO
2363 Cienar Drive
Nanaimo, British Columbia, V9T 3L6
Phone: 250-756-1177

NEWMARKET
120 Harry Walker Pkwy, Unit 3
Newmarket, Ontario, L3Y 7B2
Phone: 905-836-0900

NORTH BAY
755 Wallace Rd.,
North Bay, Ontario, P1A 0E7
Phone: 705-474-3120

NORTH VANCOUVER
1448A Crown Street
North Vancouver, British Columbia, V7J 1G5
Phone: 604-985-0466

OAKVILLE
2245 Wycroft Rd
Oakville, ON L6L 5L7
Phone: 905-827-4421

ORILLIA
23 Progress Drive, Unit 5
Orillia, Ontario L3V 0T7
Phone: 705-325-9993

OSHAWA
555 Wentworth St. E, Units 9 & 10
Oshawa, Ontario L1H 3V8
Phone: 905-721-8400

OTTAWA
700 avenue Industriel
Ottawa, Ontario, K1G 0Y9
Phone: 613-247-7500

PENTICTON
260 Industrial Avenue E
Penticton, British Columbia, V2A 3H8
Phone: 250-492-8365

PERTH
130 Collings St. RR # 6
Perth, Ontario K7H 3C8
Phone: 613-267-3560

PETERBOROUGH
765 The Kingsway
Peterborough, Ontario K9J 6W7
Phone: 705-742-0434

PRINCE GEORGE
3596 Massey Drive
Prince George, British Columbia, V2N 2M4
Phone: 250-563-1292

QUÉBEC
7625 des Rocailles
Québec, Quebec, G2J 1A2
Phone: 418-624-2435

QUESNEL
1275B Cariboo Hwy 97 North
Quesnel, British Columbia, V2J 2Y3
Phone: 250-992-6008

RED DEER
7882 Edgar Industrial Way
Bay E, Red Deer, Alberta, T4P 3R2
Phone: 403-348-5162

REGINA
831 MacKay Street
Regina, Saskatchewan, S4N 2S3
Phone: 306-525-2531

RICHMOND
4455 No. 6 Road
Richmond, British Columbia, V6V 1P8
Phone: 604-273-2244

SAINT-JEAN-SUR-RICHELIEU
850-100 Pierre Caisse
St-Jean-sur-Richelieu, Quebec, J3B 7Y5
Phone: 450-348-8750

SAINT-JÉRÔME
200 Boul. Roland-Godard
St-Jerome, Quebec, J7Y 4P7
Phone: 450-438-2000

SAINT-LAURENT (LOCKE)
505 Rue Locke
St-Laurent, Quebec, H4T 1X7
Phone: 514-341-3700

SASKATOON
#1 2301 Faithfull Avenue
Saskatoon, Saskatchewan, S7K 1T9
Phone: 306-653-5020

SAULT STE. MARIE
80 White Oak Dr. E
Sault Ste. Marie, Ontario, P6B 4J8
Phone: 705-949-7025

SCARBOROUGH
670 Progress Ave., Unit 9,
Scarborough, Ontario, M1H 3A4
PHONE: 416-439-4290

SEPT-ÎLES
440 Avenue Quebec
Sept-Îles, G4R 1J7
Phone: 418-962-3421

SHERBROOKE
4110 Boulevard Industriel
Sherbrooke, J1L 2S6
Phone: 819-569-9086

ST.CATHARINES
128 Grantham Ave. S, Unit 1
St. Catharines, Ontario, L2P 3H2
Phone: 905-938-7394

SUDBURY
1785 Frobisher Street, Unit 2
Sudbury, Ontario P3A 6C8
Phone: 705-560-2800

SURREY
#401 13060 80th Avenue
Surrey, British Columbia, V3W 3B2
Phone: 604-501-2244

TIMMINS
870 Algonquin Blvd.,
Timmins, Ontario P4N 1B7
Phone: 705-264-4293

TORONTO
4 Carlaw Ave, Unit 1
Toronto, Ontario M4M 2R5
Phone: 416-593-7132

TROIS-RIVIERES
2400 Rue de L Industrie
Trois-Rivières, G8Z 4R5
Phone: 819-691-3188

VAL D'OR
22 Rue Turgeon
Val-d'Or, J9P 0A5
Phone: 819-825-2460

VALLEYFIELD
120 Boul. Mgr. Langlois
Valleyfield, J6S 4V3
Phone: 450-371-5575

VANCOUVER
368 West 4th Ave
Vancouver, British Columbia, V5Y 1G9
Phone: 604-899-0229

VERNON
5008 - 24th Street
Vernon, British Columbia, V1T 8X2
Phone: 250-545-5391

VICTORIA
3125 Steele Street
Victoria, British Columbia, V8Z 3N7
Phone: 250-383-1116

WINNIPEG
1313 King Edward Street
Winnipeg, Manitoba, R3H 0R6
Phone: 204-694-1313

VAUGHAN
107 Whitmore Road,
Vaughan, Ontario L4L 6E2
Phone: 905-264-1788

WINDSOR
3040 Deziel Dr.
Windsor, Ontario N8W 5A5
Phone: 519-974-0099

